

Give an reliable eye to your business & Home.




Security, Safety &
CCTV Surveillance Systems

Axies Technologies

(An ISO 9001:2008 Certified Co.)



www.axiestechnologies.com



Axies Technologies

Axies Technologies is an ISO 9001 : 2008 Certified Company. We are service provider & retailer of CCTV, DVR, IP camera, Speed dome, Network surveillance equipment, Proximity Card, GPRS Fingerprint Reader based Time Attendance system & Web based Access control, Burglar Alarm System, Remote Surveillance system, EAS product, RFID Solutions & other security equipments.

The Axies Technologies specialises in the design, supply and installation of all types of CCTV systems and have the expertise and experience to install the appropriate CCTV system for customer's particular requirement. Single or multi, indoor or outdoor, covert or overt, whatever your surveillance needs. We are equally at home with commercial, industrial, retail or residential assignments, regardless of size.

As a matter of principle, we recommends and installs the best quality CCTV equipment available, as well as employing only experienced installers. Our products & solutions not only meet technical & functional requirements but also environmental, mechanical & Electrical aspects.

Axies Technologies provides End-to-End System solutions for CCTV Projects including supplies, installation & commissioning and after sales service support. We manufacture products and deliver solutions for Attendance and Access requirements of organizations.

Our products are used by Millions of employees and workers for their daily attendance, physical access, canteen, parking, visitor management solutions. The solutions have delivered to the demands of HR departments for managing the workforce efficiently.

Axies Technologies is a systems integration and software / hardware development company that provides security doors, Security Equipment, identity verification solutions and Biometric Time Attendance System

Axies Technologies's high skills and experience coupled with its deep commitment to R&D ensure that whatever is done is the best and caters with the latest technological trends.



Our Vision

We will become a trusted brand in the global security industry, nurturing in our customers and communities an eternal sense of loyalty towards our products and services.



Our Mission

To be the leading provider of security products, services and solutions in India and establishing ourselves as a premier brand in the global market by continuous commitment towards excellence in quality, high performance, dedicated teamwork and customer satisfaction, allowing us to achieve sustainable growth.

Our Team

we have set benchmark in the industry. Our success and growth in this industry is the result of our experienced professionals and various security & surveillance systems experts. They understand the clients' requirements and accordingly provide them with the products that suit their needs.

GPRS 203 IFACE



| | |
|----------------------|--|
| Features:- | |
| Face Capacity: | 500 (1:N) /700(1:G) /3000(1:1) |
| ID Card Capacity: | 10,000 |
| Transaction Storage: | 50,000 |
| Camera: | High Resolution Infrared Camera |
| Communications: | TCP/IP, Rs232, Rs485 |
| USB-HOST: | Two USB-Host |
| Processor: | Multi-Bio CPU 630 MHZ |
| Hardware Platform: | 600 Multi-Medum Development Platform |
| Identification time: | <2 Seconds |
| FAR: | <0.0001% |
| Optional Function: | Mifare Card, Short Message, Web Server, GPRS, Battery Back (200 mA) ,9 Digit User, Work Code |
| Gross Weight: | 1.8 Kg |

GPRS 203 Fingerprint/Card Based



| | |
|------------------------|--|
| Features:- | |
| Fingerprint Capacity: | 3,000 |
| Transaction Storage: | 50,000 |
| Communications: | TCP/IP, Rs232, Rs485 |
| USB-HOST: | Two USB-Host |
| Processor: | Multi-Bio CPU 630 MHZ |
| Hardware Platform: | 600 Multi-Medum Development Platform |
| Identification time: | <2 Seconds |
| FAR: | <0.0001% |
| Optional Function: | Mifare Card, Short Message, Web Server, GPRS, Battery Back (200 mA) ,9 Digit User, Work Code |
| Operating Temperature: | 0 C-45 C |

Virdi Fingerprint/Card Based



| | |
|-----------------------|--------------------------------------|
| Features:- | |
| Fingerprint Capacity: | 7,000 |
| Transaction Storage: | 50,000 |
| Communications: | TCP/IP, RS232, RS485 |
| Processor: | Multi-Bio CPU 630 MHZ |
| Hardware Platform: | 600 Multi-Medum Development Platform |
| Identification time: | <2 Seconds |

ATB-4



| | |
|-----------------------|--------------------------------------|
| Features:- | |
| Fingerprint Capacity: | 3,000 |
| Transaction Storage: | 50,000 |
| Communications: | TCP/IP, RS232, RS485 |
| Processor: | Multi-Bio CPU 630 MHZ |
| Hardware Platform: | 600 Multi-Medum Development Platform |
| Identification time: | <2 Seconds |

ATB-5



| | |
|-----------------------|--------------------------------------|
| Features:- | |
| Fingerprint Capacity: | 3,000 |
| Transaction Storage: | 50,000 |
| Communications: | TCP/IP, RS232, RS485 |
| Processor: | Multi-Bio CPU 630 MHZ |
| Hardware Platform: | 600 Multi-Medum Development Platform |
| Identification time: | <2 Seconds |

Web Based Time Attendance & Online Leave Management System/ Payroll System

www.axiestechnologies.com



Web-based time attendance and online leave management system offers you a high return on investment by tracking the exact time worked by employees-both in and out of the office - while giving both workers and upper management the flexibility and options to check the system from any Internet-enabled PC, Internet-enabled cell phones, PDA or PC at home. Giving you all the information that that you need on the move.

- A user friendly, browser based solution for time attendance and leave management system.
- Design for windows 95/98/ME/XP/Win NT - 2000/2003 including server version/Vista/2007 etc.
- Web based Admin Module that allows master data creation through browser for employees, departments, sections, shifts, holidays, leaves and much more.
- One Centralized installation and multiple access points through internet/intranet, that supports multiple companies/branches.
- Built In reporting module that provides daily, monthly and yearly leave reports. Reports can be exported into Excel & PDF formats.
- Supports user roles like Admin, HOD, Team Leader and others, that allows multilevel leave approval process.
- 3rd Party Integration - Compatible with different access controllers and time attendance products available in the market.
- HODs/ Team Leaders can easily check the status of there sub-ordinate's attendance Online.
- More than 70 types of browser based reports generation in various formats like PDF and Excel.
- Online attendance, applying leave, checking status and sending email Alerts to HODs.
- Software available on almost all non data bases: Oracle, SQL Server, MSDE, Visual FoxPro, MS Access.

Reports : Daily Reports, Monthly Reports, Yearly Reports Salary Reports
Salary Register, Pay Slip Record, Loan Detail & Master Reports.

CCTV Surveillance & Monitoring Systems (Analog Series/ IP Series)



Dome Camera



IR Dome Camera



IR Bullet Camera



C Mount Camera



PTZ Speed Dome



Network Keyboard



FEATURES

| Analog Series | IP Series |
|-------------------------|-------------------------------|
| Lens 3.6mm to 50mm | 1.3 Megapixel High Resolution |
| 20-80m IR Visible Range | HD Video Output |
| 24-72 LED | Low Illumination |
| 420-700TVL | 3D DNR & DWDR & BLC |
| 12VDC Input Voltage | IP66 Rating |
| NTSC (VBC-800NI) | IR Range: up to 20-50 m |
| IP66 Rating | True Day / Night |

PAL:752(H)x582(V),NTSC:768(H)*494(V),1/4" Sony Super HAD CCD,
 Color: 480-TVL, 0.2 Lux@F1.6, B/W: 520 TVL,0.02 Lux@F1.6, Olux with IR, ICR
 Optical, Zoom: 36k, Digital zoom: 16x
 Focus: 3.84- 88.4mm, SNR>50db,Tilt Range:-10⁰~90⁰(Auto Flip), 80m IR Range
 Electronic shutter:1/50(1/60)-1/10,000s, 24 VAC(12 VDC Optional)

Network Keyboard gives full control of and WAN or LAN IC Realtime DVR. Control the entire Menu, Video Display output modes, PTZ Control, and essentially any function that can be performed while physically at the DVR.

DVR / NVR



Server Based 16 Channel Standalone DVR
Full Speed Digital video recorder 400 FPS Display Speed
and 400 FPS Recording speed

FEATURES OF THE ABOVE DVR-
H.264 compression, Motion Detection, LAN/ PSTN, ISDN Internet
Compatible, 16 Camera input, 2 Motion Output along with
Remote Surveillance Feature.

Fire Alarm Systems/Accessories



Fire Extinguishers
Water Extinguishers
CO₂ Extinguishers
Foam Extinguishers
Wet Chemical Extinguishers
Extinguisher Types and Their Uses

Complete Fire Alarm Systems, including heat detection, smoke detection, signaling,
24 hour monitoring of all conditions: Fire, Smoke, Flame, Heat, High/Low
Temperature Alarms, etc.

All conditions are monitored 24 hours a day, with approved equipment installed to
specifications by supervised state-licensed technicians.

Intrusion Alarm System



Duel Path Signaling Device Keeps
System Live If One Path Is Cut)



Multi - Zone Door Frame Metal Detector

Hand Held Metal Detector



We've high quality Hand Held Metal Detector
and Door Frame Metal Detectors. Door Frame
Metal Detectors are available in Single Zone
and Multi Zone variations.

We provide PVC coated as well as wooden
Door Frame Metal Detectors. These are
available with different features and
specifications. PC compatibility option is also
available.



Door & Gate Automation

Features:

Running stable without noise and mechanical impact
 Passing person number of the persons can be set
 Several ways of working molds for your demand chosen Bi-direction. or one direction permitted, one forbidden, or one direction charged, one for free, and all the working molds set by the buttons in the main control board
 Beam falling and lifting can be controlled in far distance so to satisfy the special requirement of the users and the request of fire protection
 Direction-guide lights in the turnstile to tell you whether the direction to go or not
 Standard electrical interface connected with various kinds of reader and writer equipment
 All the functions realized in one integration machine and controlled and managed by the computer in the far distance
 Number of the persons passed by can be counted automatically
 witch can also be displayed in LED
 Beam can be lifted and fall when power is cut-off
 Function with or without card-reading memory cab be set according to your demand
 Self-check and alarm for convenience.

Video Door Phone

Video Door Phone is essential security solution for residential and commercial areas alike.

Our Video Door Phone is highly efficient in ensuring surveillance for home security purpose.

The Video Door Phone can be unified with electronic entry systems, video entry and access control systems. Outdoor panels of the Video Door Phone enable access between visitors and telephones or monitors act as communication tool inside the home.



EPBAX Systems



Introducing EPBAX, a compact PBX loaded with value added features, which reduces cost and enhances productivity. Make the best out of your single trunk line, the ultra-compact micro PBX. This EPBAX System supports microcontroller based design and state-of-the-art Surface Mount Technology (SMT) ensuring high reliability and low maintenance cost.

We provide the wide range of EPBAX Systems according to the customer's requirements

Accessories



Fingerprint Reader



Push Button



Adaptor



RFID Card



EM Lock



Video Cable



CAT -6 Cable

Other Software Solutions...

- ➔ Visitor Management
 - ➔ Parking Management
 - ➔ Canteen Management
 - ➔ Toll Collection
 - ➔ Cab Management

Some of our reputed customers...



Axies Technologies

SCO-35, West Wing, First Floor, Sec. 16,
Huda Commercial Complex Faridabad -121002
Tele. : +91 129 4084900,2224900
E-mail : info@axiestechnologies.com